

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

## 1 Identification

- · Product identifier
- Trade name: NexxZr Effect Coloring Liquid Violet
- · Application of the substance / the mixture Manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Manufacturer:

Sagemax Bioceramics, Inc. 34210 9th Avenue South, Suite 118

Federal Way, WA 98003 USA

Tel. +1 253-214-0389 / +1 877-386-0389

Fax +1 888-856-2615

EC Representative:

AB Ardent

Generatorgatan 8

SE-19560 Arlandastad / Sweden

Tel. +46 8594 412 57

Fax +46 8591 161 83

### · Information department:

Quality Assurance / Regulatory Affairs

USA: support@sagemax.com EU: info@sagemax.com

### · Emergency telephone number:

24 Hour Emergency Assistance:

Emergency-Call USA - Infotrac: 1-800-535-5053 Emergency-Call Canada - Canutec: 1-613-996-6666

General SDS Assistance: US: 1-800-533-6825 Canada: 1-800-263-8182

## 2 Hazard identification

## · Classification of the substance or mixture

Skin Corrosion - Category 1B H314 Causes severe skin burns and eye damage.

Serious Eye Damage - Category 1 H318 Causes serious eye damage.

Respiratory Sensitizer - Category 1 H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Skin Sensitizer - Category 1 H317 May cause an allergic skin reaction.

Carcinogenicity – Category 2 H351 Suspected of causing cancer.

Reproductive Toxicity - Category 1B H360 May damage fertility or the unborn child.

### · Label elements

#### · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

## · Hazard pictograms





GHS05

GHS08

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

# Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 1)

#### · Signal word Danger

## · Hazard-determining components of labeling:

Erbium(III) nitrate pentahydrate

cobalt dinitrate

#### · Hazard statements

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May damage fertility or the unborn child.

#### · Precautionary statements

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



```
Health = 3

Fire = 0

Reactivity = 0
```

· HMIS-ratings (scale 0 - 4)



\*3 *Health* = \*3

0 *Fire* = 0

rire

REACTIVITY 0 Reactivity = 0

# 3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 10031-51-3	Erbium(III) nitrate pentahydrate	1-5% w/w *
CAS: 10141-05-6	cobalt dinitrate	0.3-<1% w/w *

<sup>\*</sup> Actual concentration ranges are withheld as a trade secret.

## 4 First-aid measures

- · Description of first aid measures
- $\cdot$  After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

(Contd. on page 3)

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

# Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 2)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

*Use respiratory protective device against the effects of fumes/dust/aerosol.* 

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/ Personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

Printing date 08/11/2020 Version number 1

Reviewed on 04/04/2019

# Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 3)

#### · Control parameters

### · Components with limit values that require monitoring at the workplace:

#### CAS: 10141-05-6 cobalt dinitrate

EL Long-term value: 0.02 mg/m³

as Co; IARC 2B

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:

# · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Usual hygienic measures for dental practice and dental laboratories.

## · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

#### Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

## · Material of gloves

Natural rubber, NR

Chloroprene rubber, CR

Nitrile rubber, NBR

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:



Tightly sealed goggles

- C 4

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 4)

Physical and chemical proper	rties
Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Red
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value at 20 °C:	<2
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	Undetermined.
Flammability (solid, gaseous):	Not applicable.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Soluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 6)

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

# Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 5)

#### · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic if inhaled.

· Carcinogenic categories

### · IARC (International Agency for Research on Cancer)

CAS: 10141-05-6 cobalt dinitrate

2B

## · NTP (National Toxicology Program)

None of the ingredients is listed.

# 12 Ecological information

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Toxic for aquatic organisms

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

· UN-Number	
DOT/TDG, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
DOT/TDG	Corrosive liquid, acidic, inorganic, n.o.s. (inorganic nitrate salts)
· ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (inorganic nitrate salts)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts)

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 6) · Transport hazard class(es) · DOT/TDG (Transport dangerous goods): · Class 8 Corrosive substances ·Label  $\cdot ADR$ · Class 8 (C1) Corrosive substances  $\cdot$  Label · IMDG, IATA · Class 8 Corrosive substances ·Label · Packing group · DOT/TDG, ADR, IMDG, IATA II· Environmental hazards: Not applicable. Warning: Corrosive substances Special precautions for user · Hazard identification number (Kemler code): 80 F-A,S-B· EMS Number: · Segregation groups Acids · Stowage Category SW2 Clear of living quarters. · Stowage Code · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) 1LCode: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml (Contd. on page 8)

Printing date 08/11/2020 Version number 1 Reviewed on 04/04/2019

# Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 7)

· UN ''Model Regulation'':

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (INORGANIC NITRATE SALTS), 8, II,

**ENVIRONMENTALLY HAZARDOUS** 

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

CAS: 10141-05-6 cobalt dinitrate

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Erbium(III) nitrate pentahydrate

cobalt dinitrate

· Hazard statements

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Suspected of causing cancer.

May damage fertility or the unborn child.

· Precautionary statements

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

CΔ

Printing date 08/11/2020

Version number 1

Reviewed on 04/04/2019

# Trade name: NexxZr Effect Coloring Liquid Violet

(Contd. of page 8)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of the latest revision of the safety data sheet 08/11/2020 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative