Printing date 11.08.2020

sagemax

Version number 1

Revision: 04.04.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name: NexxZr Effect Coloring Liquid Blue

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Manufacture of dental prothesis
- \cdot 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Manufacturer: Sagemax Bioceramics, Inc. 34210 9th Avenue South, Suite 118 Federal Way, WA 98003 USA Tel. +1 253-214-0389 / +1 877-386-0389 Fax +1 888-856-2615

EC Representative: AB Ardent Generatorgatan 8 SE-19560 Arlandastad / Sweden Tel. +46 8594 412 57 Fax +46 8591 161 83

· Further information obtainable from:

Quality Assurance / Regulatory Affairs USA: support@sagemax.com EU: info@sagemax.com • **1.4 Emergency telephone number:** +423 / 235 33 13 (Ivoclar Vivadent AG, 9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Skin Corr. 1 H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.*

· Hazard pictograms



· Signal word Danger

 Hazard-determining components of labelling: inorganic nitrate salts
 Hazard statements H314 Causes severe skin burns and eye damage.
 Precautionary statements P280 Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

(Contd. on page 2)

GB

2.5-<10%

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 04.04.2019

Trade name: NexxZr Effect Coloring Liquid Blue

(Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 16454-60-7 neodymium(III) nitrate hexahydrate

Reg.nr.: 05-2114135952-48-XXXX Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately rinse with water.

• After eye contact:

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

• After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 11.08.2020

Version number 1

Revision: 04.04.2019

Trade name: NexxZr Effect Coloring Liquid Blue

(Contd. of page 2)

- 6.3 Methods and material for containment and cleaning up:
- *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).* 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Only adequately trained personnel should handle this product. For use in dentistry only.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from metals.
- Further information about storage conditions:
- Keep container tightly sealed.
- Protect from heat and direct sunlight.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories.
- Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Immediately remove all soiled and contaminated clothing
- Avoid contact with the eyes and skin.
- **Respiratory protection:** Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

Material of gloves Natural rubber, NR Chloroprene rubber, CR Nitrile rubber, NBR Butyl rubber, BR

(Contd. on page 4)

GB

Printing date 11.08.2020

Version number 1

Revision: 04.04.2019

Trade name: NexxZr Effect Coloring Liquid Blue

(Contd. of page 3)

Fluorocarbon rubber (Viton) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:

Tightly sealed goggles

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and c	chemical properties	
• General Information	r · · r · · · · · · · · · · · · · · · ·	
· Appearance:		
Form:	Fluid	
Colour:	Blue	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
pH-value at 20 °C:	<2	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range	e: Undetermined.	
Flash point:	Undetermined.	
Flammability (solid, gas):	Not applicable.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Soluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. (Contd. on page 5)

Printing date 11.08.2020

Version number 1

Revision: 04.04.2019

Trade name: NexxZr Effect Coloring Liquid Blue

(Contd. of page 4)

- 10.3 Possibility of hazardous reactions Reacts with various metals.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: Corrosive action on metals.

• 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- \cdot Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR/RID/ADN, IMDG, IATA

UN3264

(Contd. on page 6)

⁻ GB -

Printing date 11.08.2020

Version number 1

Revision: 04.04.2019

Trade name: NexxZr Effect Coloring Liquid Blue

ADR/RID/ADN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) 14.3 Transport hazard class(es) ADR/RID/ADN IMDG, IATA S Class 8 (C1) Corrosive substances. Label 8 IMDG, IATA S Class 8 (C1) Corrosive substances. Label 8 IMDG, IATA S Class 8 Corrosive substances. Label 8 IMDG, IATA II IAS Environmental hazards: Not applicable. 14.5 Environmental hazards: Not applicable. 14.5 Social precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: FA,S-B Segregation groups Acids Stowage Category B Stowage Category B ADARID/ADN IL Limited quantities (LQ) IL Limited quantities (LQ) IL Limited quantities (LQ) IL		(!	Contd. of pag
IMDG, IATA N.O.S. (inorganic nitrate salts) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) 14.3 Transport hazard class(es) ADR/RID/ADN Image: Class (absolute the salts) 8 (C1) Corrosive substances. 14.3 Transport hazard class(es) 8 (C1) Corrosive substances. ADR/RID/ADN 8 Image: Class (absolute the salts) 8 (C1) Corrosive substances. Label 8 Image: Class (absolute the salts) 8 (C1) Corrosive substances. Label 8 Image: Class (absolute the salts) 8 IAJ Facking group (aDR), IMDG, IATA (absolute the salts) 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user (brains): Warning: Corrosive substances. Hazard identification number (Kemler code): 80 Stowage Category (absolute the salts) 80 Stowage Category (absolute the salts) 80 Transport in bulk according to Annex II of Marpol and the IBC Code (absolute the salts) Not applicable. Transport additional information: 11 ADR/RID/ADN 11 Excepted quantities (LQ) 11 Excepted quantities (LQ) 11	14.2 UN proper shipping name	AACL CORROCHTER LOUVE LOUPE CORRECT	
IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (inorganic nitrate salts) 14.3 Transport hazard class(es) ADR/RID/ADN Image: Class 8 (C1) Corrosive substances. Label 8 MDG, IATA 8 Image: Class 8 (C1) Corrosive substances. Label 8 MDG, IATA 8 Image: Class 8 Corrosive substances. Label 8 ADR/RID/ADN, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.4 Packing group ADR/RID/ADN, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. BMS Number: 80 Stowage Category B Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: ADR/RID/ADN ADR/RID/ADN IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted	ADK/KID/ADN		ANIC,
(inorganic nitrate salts) I4.3 Transport hazard class(es) ADR/RID/ADN Class Class Label 8 IMDG, IATA Class Cl	IMDG. IATA		NOS
ADR/RID/ADN Class & 8 (C1) Corrosive substances. Label 8 IMDG, IATA Class & 8 Corrosive substances. Label 8 IMDG, IATA Class & 8 Corrosive substances. Label 8 14.4 Packing group ADR/RID/ADN, IMDG, IATA II I.5 Environmental hazards: Not applicable. II.4 S Environmental hazards: Not applicable. II.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-4.S-B Segregation groups Acids Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. ITansport/Additional information: ADR/RID/ADN Limited quantities (LQ) IL Excepted quantities (EQ) IL Excepted quantities (LQ) IL Excepte			, 11.0.0.
Class 8 (C1) Corrosive substances. Label 8 IMDG, IATA 8 Class 8 Corrosive substances. Label 8 Class 8 Corrosive substances. Label 8 Class 8 Corrosive substances. Label 8 14.4 Packing group 1 ADR/RID/ADN, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-4,S-B Segregation groups Acids Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Maximum net quantity per inner packaging: 30 ml Maximum net quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 2 Tunnel restriction code E IMDG E Imited quantities (LQ) 1L Excepted quantities (LQ) 1L Excepted quantities (LQ) 1L	14.3 Transport hazard class(es)		
Label 8 IMDG, IATA IMDG, IATA IMDG, IATA Image: State of the state of	ADR/RID/ADN		
Label 8 IMDG, IATA IMDG, IATA IMDG, IATA Image: State of the state of	$\hat{\wedge}$		
Label 8 IMDG, IATA IMDG, IATA IMDG, IATA Image: State of the state of			
Label 8 IMDG, IATA IMDG, IATA IMDG, IATA Image: State of the state of			
Label 8 IMDG, IATA IMDG, IATA IMDG, IATA Image: State of the state of	Class	8(C1) Corrective substances	
Class Label8 Corrosive substances. 81.4 Packing group ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code):80EMS Number:F-4,S-BSegregation groups Stowage CodeAcids14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.17 Transport (Additional information: ADR/RID/ADN Limited quantities (LQ)IL Excepted quantities (LQ)ITransport category Transport category Transport category Tunnel restriction codeIL E Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per inner packaging: 30 ml	Label		
Class Label8 Corrosive substances. 81.4 Packing group ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code):80EMS Number:F-4,S-BSegregation groups Stowage CodeAcids14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.17 Transport (Additional information: ADR/RID/ADN Limited quantities (LQ)IL Excepted quantities (LQ)ITransport category Transport category Transport category Tunnel restriction codeIL E Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per inner packaging: 500 ml Maximum net quantity per inner packaging: 30 ml	IMDC 1ATA		
Label814.4 Packing group ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Corrosive substances.80F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 ILIMDG Limited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 500 mlExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ) <td< td=""><td>IMDG, IATA</td><td></td><td></td></td<>	IMDG, IATA		
Label814.4 Packing group ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Corrosive substances.80F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 ILIMDG Limited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 500 mlExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ) <td< td=""><td>5 - 34</td><td></td><td></td></td<>	5 - 34		
Label814.4 Packing group ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Corrosive substances.80F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 ILIMDG Limited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 500 mlExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ)ILExcepted quantities (EQ) <td< td=""><td></td><td></td><td></td></td<>			
Label814.4 Packing group ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number:Warning: Corrosive substances.80F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of 	\mathbf{v}		
14.4 Packing group ADR/RID/ADN, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category B Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR/RID/ADN IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code E IMDG IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml <td>Class</td> <td></td> <td></td>	Class		
ADR/RID/ADN, IMDG, IATAII14.5 Environmental hazards:Not applicable.14.6 Special precautions for userWarning: Corrosive substances.Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)1LExcepted quantities (EQ)2Tunnel restriction codeEIMDGILLimited quantities (LQ)1LLimited quantities (LQ)1Limited quantities (LQ)1<	Label	8	
14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR/RID/ADN IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 500 ml Maximum net quantity per outer packaging: 500 ml Image Cole IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Imited quantities (LQ) IL Excepted quantities (LQ) IL Limited quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	14.4 Packing group		
14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category B Stowage Code SW2 Clear of living quarters. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. Transport/Additional information: Not applicable. ADR/RID/ADN IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category 2 Tunnel restriction code E IMDG IL Limited quantities (LQ) IL Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	ADR/RID/ADN, IMDG, IATA		
Hazard identification number (Kemler code):80EMS Number:F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 Limited quantities (LQ)IIDG Limited quantities (LQ)IL E 	14.5 Environmental hazards:	Not applicable.	
EMS Number:F-A,S-BSegregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 Limited quantities (LQ)IMDG Limited quantities (LQ)IL Excepted quantities (LQ)IMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 500 mlTansport category2 Limited quantities (LQ)IMDG Limited quantities (EQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml	14.6 Special precautions for user		
Segregation groupsAcidsStowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 Limited quantities (LQ)ItEccepted quantities (LQ)ItILExcepted quantities (LQ)IL E Maximum net quantity per inner packaging: 500 mlTransport category2 Limited quantities (LQ)IMDG Limited quantities (EQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml			
Stowage CategoryBStowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 Tunnel restriction codeIMDG Limited quantities (LQ)IL Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 500 ml			
Stowage CodeSW2 Clear of living quarters.14.7 Transport in bulk according to Annex II of Marpol and the IBC CodeNot applicable.Transport/Additional information:Not applicable.ADR/RID/ADNILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 Limited quantities (LQ)IMDG Limited quantities (LQ)IL Excepted quantities (LQ)Imited quantities (LQ)IL Excepted quantities (LQ)Imited quantities (LQ)IL Limited quantities (LQ)Imited quantities (LQ)IL Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml			
Marpol and the IBC CodeNot applicable.Transport/Additional information:ADR/RID/ADNLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeEIMDG1LLimited quantities (LQ)1LExcepted quantities (LQ)1LMaximum net quantity per inner packaging: 30 mlMaximum net quantities (LQ)12Maximum net quantities (LQ)12Maximum net quantities (LQ)12Maximum net quantities (EQ)12Code: E22Maximum net quantity per inner packaging: 30 ml	Stowage Code	SW2 Clear of living quarters.	
Marpol and the IBC CodeNot applicable.Transport/Additional information:ADR/RID/ADNLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeEIMDG1LLimited quantities (LQ)1LExcepted quantities (LQ)1LMaximum net quantity per inner packaging: 30 mlMaximum net quantities (LQ)12Maximum net quantities (LQ)12Maximum net quantities (LQ)12Maximum net quantities (EQ)12Code: E22Maximum net quantity per inner packaging: 30 ml	14.7 Transport in bulk according to Annex II o	f	
ADR/RID/ADN Limited quantities (LQ) 1L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category Tunnel restriction code IMDG Limited quantities (LQ) Limited quantities (LQ) Limited quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml			
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 mlMaximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeEIMDGLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Transport/Additional information:		
Excepted quantities (EQ)Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 mlTransport category2 ETunnel restriction codeEIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml	ADR/RID/ADN		
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 Tunnel restriction codeIMDG Limited quantities (LQ)1L Code: E2 Maximum net quantity per inner packaging: 30 ml	Limited quantities (LQ)		
Maximum net quantity per outer packaging: 500 mlTransport category2Tunnel restriction codeEIMDG1LLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Excepted quantities (EQ)		0 1
Transport category2Tunnel restriction codeEIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml			
Tunnel restriction codeEIMDGILLimited quantities (LQ)ILExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Transport category		
IMDGLimited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml	Tunnel restriction code		
Limited quantities (LQ)1LExcepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml			
Excepted quantities (EQ)Code: E2Maximum net quantity per inner packaging: 30 ml		1L	
Maximum net quantity per inner packaging: 30 ml	Excepted quantities (EQ)		
Maximum net quantity per outer packaging: 500 ml			
		Maximum net quantity per outer packaging: 5	00 ml

Printing date 11.08.2020

Version number 1

Revision: 04.04.2019

(Contd. of page 6)

Trade name: NexxZr Effect Coloring Liquid Blue

• UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (INORGANIC NITRATE SALTS), 8, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

• Named dangerous substances - ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

• Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eve Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

GB