

Printing date 07/31/2025 Version number 1 Reviewed on 07/31/2025

1 Identification

- · Product identifier
- Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea
- · Application of the substance / the mixture Stains and Glazes
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

DSSM AG

Im alten Riet 9

9494 Schaan/Liechtenstein

Tel. +423 239 4000

www.DSSM.group

· Information department:

Regulatory Affairs

sds@dssm.group

· Emergency telephone number: Tel. +423 239 4000 (DSSM AG)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



0 Health = 0

0 Fire = 0

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: dental ceramic

· Dangerous components:

CAS: 56-81-5 glycerol

<2.5%

Printing date 07/31/2025 Version number 1 Reviewed on 07/31/2025

Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

 $\cdot \textit{Personal precautions, protective equipment and emergency procedures}$

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

 $See \ Section \ 8 \ for \ information \ on \ personal \ protection \ equipment.$

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
CAS: 56-81-5 glycerol	45 mg/m^3
· PAC-2:	
CAS: 56-81-5 glycerol	180 mg/m^3
· PAC-3:	
CAS: 56-81-5 glycerol	$1,100 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

Only adequately trained personnel should handle this product.

For use in dentistry only.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 07/31/2025 Version number 1 Reviewed on 07/31/2025

Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

This product is hygroscopic.

Store in dry conditions.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 56-81-5 glycerol

PEL Long-term value: 15* 5** mg/m³
mist; *total dust **respirable fraction

TLV | TLV withdrawn-insufficient data human occup. exp.

· Regulatory information

PEL: Guide to Occupational Exposure Values (OSHA PELs)

TLV: Guide to Occupational Exposure Values (TLV)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Usual hygienic measures for dental practice and dental laboratories.

- Breathing equipment: Use respiratory protective device against the effects of fumes/dust/aerosol.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- \cdot Appearance:

Form: Pasty

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 4)

Printing date 07/31/2025 Version number 1 Reviewed on 07/31/2025

Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea

		(Contd. of page
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Undetermined.	
Flammability:	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	2.0 %	
Water:	2.0 %	
VOC content:	0.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · Specific symptoms in biological assay:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)

Printing date 07/31/2025 Version number 1 Reviewed on 07/31/2025

Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea

(Contd. of page 4)

- · Additional toxicological information: No further relevant information available.
- · Carcinogenic categories
- · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR/RID/ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR/RID/ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR/RID/ADN, ADN, IMDG, IA	TA	
Class	Void	
Packing group		
DOT, ADR/RID/ADN, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	

(Contd. on page 6)

Printing date 07/31/2025 Version number 1 Reviewed on 07/31/2025

Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea

Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
UN "Model Regulation":	Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 56-81-5 glycerol

ACTIVE

- · Proposition 65
- · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

This product is classified as a medical device under US and Canadian regulations and has been review.

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact:
- · Date of preparation / last revision 07/31/2025 / -
- · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMO: International Maritime Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

Printing date 07/31/2025

Version number 1

Reviewed on 07/31/2025

Trade name: Sagemax Paint 3D Enamel Smoke, Deep Sea

(Contd. of page 6)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

- IIS