

Printing date 11/17/2025 Version number 1 Reviewed on 11/17/2025

1 Identification

- · Product identifier
- Trade name: Sagemax Paint 3D Universal Liquid
- · CAS Number:

107-88-0

· EC number:

203-529-7

- · Application of the substance / the mixture Stains and Glazes
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

DSSMAG

Im alten Riet 9

9494 Schaan/Liechtenstein

Tel. +423 239 4000

www.DSSM.group

· Information department:

Regulatory Affairs

sds@dssm.group

· Emergency telephone number: Tel. +423 239 4000 (DSSM AG)

2 Hazard(s) identification

· Classification of the substance or mixture

The substance is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

CAS: 107-88-0 1,3-Butanediol

(Contd. on page 2)

Printing date 11/17/2025 Version number 1 Reviewed on 11/17/2025

Trade name: Sagemax Paint 3D Universal Liquid

(Contd. of page 1)

· Identification number(s) · EC number: 203-529-7

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Rinse out mouth and then drink plenty of water.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- · Protective Action Criteria for Chemicals
- · PAC-1: 120 mg/m³
- · PAC-2: 1,300 mg/m³
- **PAC-3:** $4,500 \text{ mg/m}^3$

7 Handling and storage

- · Handling:
- Precautions for safe handling

No special measures required.

Only adequately trained personnel should handle this product.

For use in dentistry only.

Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 11/17/2025 Version number 1 Reviewed on 11/17/2025

Trade name: Sagemax Paint 3D Universal Liquid

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: This product is hygroscopic.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Usual hygienic measures for dental practice and dental laboratories.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

Information on basic physical and General Information	chemical properties	
Appearance:	El . I	
Form:	Fluid	
Color:	Colorless	
Odor:	Nearly odorless	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	-57 °C (-70.6 °F)	
Boiling point/Boiling range:	207 °C (404.6 °F)	
Flash point:	121 °C (249.8 °F)	
Flammability:	Not applicable.	
Auto igniting:	375 °C (707 °F)	

(Contd. on page 4)

Printing date 11/17/2025 Version number 1 Reviewed on 11/17/2025

Trade name: Sagemax Paint 3D Universal Liquid

	(Contd. of page	
Decomposition temperature:	Not determined.	
Ignition temperature:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.01 g/cm³ (8.428 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/water):	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
VOC content:	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 107-88-0 1,3-Butanediol

Oral LD50 18610 mg/kg (rat)

· Additional toxicological information:

No further relevant information available.

The substance is not subject to classification.

- · Carcinogenic categories
- · NTP (National Toxicology Program) Substance is not listed.

(Contd. on page 5)

Printing date 11/17/2025 Version number 1 Reviewed on 11/17/2025

Trade name: Sagemax Paint 3D Universal Liquid

(Contd. of page 4)

· OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	Void
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Void
Transport hazard class(es)	
DOT, ADR/RID/ADN, ADN, IMDG, IA Class	TA Void
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	I of Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
	(Contd. on p

(Contd. on page 6

Printing date 11/17/2025 Version number 1 Reviewed on 11/17/2025

Trade name: Sagemax Paint 3D Universal Liquid

(Contd. of page 5)

· UN "Model Regulation":

Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances): Substance is not listed.
- · Section 313 (Specific toxic chemical listings): Substance is not listed.
- · TSCA (Toxic Substances Control Act): ACTIVE
- · Hazardous Air Pollutants Substance is not listed.
- · Proposition 65
- · Chemicals known to cause cancer: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for females: Substance is not listed.
- · Chemicals known to cause reproductive toxicity for males: Substance is not listed.
- · Chemicals known to cause developmental toxicity: Substance is not listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency) Substance is not listed.
- · TLV (Threshold Limit Value) Substance is not listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health) Substance is not listed.
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:
- · Other regulations, limitations and prohibitive regulations

The product is a medical device according to Regulation 2017/745 on Medical Devices (MDR).

This product is classified as a medical device under US and Canadian regulations and has been reviewed by the US Food and Drug Administration and Health Canada.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Contact:
- · Date of preparation / last revision 11/17/2025 / -
- · Abbreviations and acronyms:

ICAO: International Civil Aviation Organisation

IMO: International Maritime Organization

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 7)

Printing date 11/17/2025

Version number 1

Reviewed on 11/17/2025

Trade name: Sagemax Paint 3D Universal Liquid

(Contd. of page 6)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

- 119